





1. Identify the sensor by reading the QR code on the front of the device.




2. Carefully pull out the battery security tab.




3. Clean the installation surface with IPA solvent.

Surface





4. Remove the tape's paper cover.



5. Install the sensor to designated location by pushing firmly against the surface for a minimum of 5 seconds.

$\pm 6^\circ$


90°



Thingsee BEAM

User and Installation Guide

v.24.05



Welcome to using Thingsee

We at Haltian want to make IoT simple, so we have created a solution that is easy to use, scalable, and secure. I hope it will help you achieve your business goals!

Pasi Leipälä
CEO, Haltian Oy

Thingsee BEAM



Thingsee BEAM is a wireless IoT sensor for short distance measurement. This is an excellent tool for measuring e.g. container or dispenser fill levels. Thingsee BEAM can be used for various facility management applications in smart cleaning, asset tracking and more.

Thingsee BEAM is a part of Haltian Thingsee IoT solution and product family.

Sales package content

- Thingsee BEAM sensor
- 1 x Opening Key
- 2 x AAA batteries (pre-installed, replaceable)



Using Thingsee BEAM sensor

Thingsee BEAM measures the distance between the sensor and any solid surface. The sensor sends a laser beam and calculates the distance from the time it takes for the beam to return back to the sensor.

Thingsee BEAM can be used to measure the fill levels of, for example, paper and towel dispensers, trash bins, shelves and even liquid dispensers with an accessory.

Thingsee BEAM gives extremely accurate distance measurement and it has an adjustable sensor beam, making the installation flexible and easy.


Please note that the measured surface needs to be solid, and that some materials, like glossy surfaces, may interfere with the beam.

General installation instructions

Install the sensor above or below the surface you want to measure. Make sure that the sensor is at least 4 cm from the surface.

The angle between the sensor and the measured surface is recommended to be 90 °, but it can be adjusted if needed by 6 ° to either side, making the installation flexible.

To see how to adjust the angle of the BEAM sensor, please check more info at support.haltian.com




The adjustable sensor beam can be used in, for example, curved installation surfaces.




Things to avoid in installation

Avoid installing Thingsee products near the following:

- 1.** Thick concrete structures or thick fire doors




- 2.** Electrical transformers or thick electrical wires




- 3.** Escalators




- 4.** Nearby halogen lamps, fluorescent lamps or similar lamps with hot surface




- 5.** Nearby radio equipment like WiFi routers or any other similar high power RF transmitters





- 6.** Inside metal box or covered with a metal plate.



- 7.** Direct sun light or bright spotlight hitting the sensor as it may interfere with the laser beam and give inaccurate results.



- 8.** Near elevator motors or similar targets causing a strong magnet field.




Installation

Before installing the sensors, make sure the Thingsee gateway device is installed and connected to a mobile network (LED blinking green).


To identify the sensor, read the QR code on the front of the device with a QR code reader or Thingsee Toolbox application on your mobile device.

Identifying the device is not necessary, but it will help you keep track of your IoT installation and help Haltian support to solve possible issues.



Carefully pull out the battery security tab.


Clean the surface you will attach the sensor to with IPA -solvent (isopropyl alcohol).



Remove the tape's paper cover from the backside of the sensor.


Attach the sensor to its place by pushing it firmly against the surface for minimum of 5 seconds.

Wipe the sensor with a clean cloth.




Changing the batteries


If you change the batteries, Haltian recommends using Varta Industrial Pro 1.5 V AAA LR06 alkaline batteries.




When holding the sensor in hand: Place the opening key in the hole on the side of the sensor and twist to open.




When the sensor is on the installed surface:



Place the batteries inside the A-cover.




Attach the A-cover to the B-cover attached to the installed surface.



Using Thingsee BEAM for dispenser fill level monitoring


Install the sensor on the decided location above or below the measured surface.



Using Thingsee BEAM for trash bin fill level monitoring


When using a plastic bag inside the trash bin please make sure the plastic bag is not in the sensor beam area. Notice that the sensor must be facing the trashes without any disturbances between the beam and the trashes. If the trash can has only a partial lid, the sensor can be installed on the side, as long as the beam reaches the trash inside.

Install the sensor on the decided location above the measured surface.





Using Thingsee BEAM for shelf fill level monitoring

Place the sensor above and next to the monitored objects so that the sensor beam is pointing at the monitored objects.



Detection Capability

- Measurement range: 40 mm - 4000 mm.
- Ranging accuracy: ± 25 mm max, depending ambient light conditions and target reflectance.
- Test materials used: solid, matte, white, 140 mm reference distance.
- Distance sensing area is a cone shape, adjustable between 15 - 27 degrees, region of interest (ROI).



Default measurement and reporting

Default settings:

- Measure distance every 5 minutes
- Report a distance measurement value every time when the distance has changed and every 1 hour
- Report battery-level every 6 hours
- Distance sensor measurement mode is short-range

The following parameters are configurable remotely over Thingsee Operations Cloud:


- Measurement interval
- Reporting interval
- Reporting event threshold
- Region of Interest (ROI) from 16x16 matrix, min 4x4 enabling
- Angle of measurement
- Direction of interest
- Timing budget to balance between power consumption and measurement noise

Change of distance measurement modes:

- 1: Short range mode 40 mm - 1300 mm
- 2: Long range mode up to 4000 mm

Settings' impact on battery-life

- 1 min measurement interval up to 3 years
- 5 min measurement interval up to 4 years (default setting)
- 15 min measurement interval up to 5 years



Device info

Operating temperature -20 °C ... +50 °C

Operating humidity 0 % ... 100 % RH non-condensing

Storage temperature +5 °C ... +25 °C

Storage humidity 45 % ... 85 % RH non-condensing


IP rating grade: IP40

Certifications: CE, FCC, ISED, RoHS and UKCA compliant

Class 1 laser (safe under all conditions of normal use)

Battery type: 2 x AAA, replaceable


Radio sensitivity: -95 dBm (BTLE)



More device info can be found at support.haltian.com

Device dimensions

Weight:
34 g (including batteries)



CERTIFICATION INFORMATION
EU DECLARATION OF CONFORMITY

Hereby, Haltian Oy declares that the radio equipment Thingsee BEAM is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: support.haltian.com

Haltian Oy vakuuttaa, että radiolaitetyyppi Thingsee BEAM on direktiivin 2014/53/EU mukainen. EU-vaatimustenmukaisuusvakuutuksen täysimittainen teksti on saatavilla seuraavassa internetosoitteessa: support.haltian.com

Hereby, Haltian Oy declares that the radio equipment type TSD2 is in compliance with the UK relevant statutory requirements (Radio Equipment Regulations 2017 (SI 2017 No. 1206)). The full text of the declaration of conformity is available at the following internet address: support.haltian.com

Thingsee BEAM operates at Bluetooth® 2.4 GHz frequency band. Maximum radio-frequency power transmitted is +4.0 dBm.

Manufacturer name and address:

Haltian Oy
Yrttipellontie 1 D
90230 Oulu
Finland

FCC REQUIREMENTS FOR OPERATION IN THE UNITED STATES

FCC Information for the User

This product does not contain any user serviceable components and is to be used with approved, internal antennas only. Any product changes or modifications will invalidate all applicable regulatory certifications and approvals.

FCC Guidelines for human Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

FCC Radio Frequency Interference Warnings & Instructions

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following methods:

Increase the separation between the equipment and the receiver.

Connect the equipment into an electrical outlet on a circuit different from that which the radio receiver is connected

Consult the dealer or an experienced radio/TV technician for help

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.


FCC compliance statement:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Innovation, Science and Economic Development Canada (ISED) regulatory information

This device complies with RSS-247 of the Innovation, Science and Economic Development Canada (ISED) Rules.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



Ce dispositif est conforme à la norme CNR-247 d'Innovation, Sciences et Développement économique Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable

Radiation Exposure Statement :

This device complies with ISED radiation exposure limits set forth for an uncontrolled environment. This equipment must be installed and used with a minimum distance of 20 cm between the radiator and your body.

NOTE IMPORTANTE: Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 20 cm entre le radiateur et votre corps.

FCC ID: 20236-TSBEAM

IC ID: 2AEU3TSBEAM

SAFETY GUIDE

Read these simple guidelines. Not following them may be dangerous or against local laws and regulations. For further information, read the user guide and visit www.haltian.com

Usage

Do not cover the device as it prevents the device from operating properly.

- This product is intended for indoor use only and shall not be exposed to rain.
- Do not modify the device. Unauthorized modifications may damage the device and violate regulations governing radio devices.
- Do not store the device in wet or humid conditions.
- Remove the batteries from the device if you are taking it inside an aeroplane (unless you have the pre-installed pull-out tape still in place). The device has a Bluetooth LE receiver/transmitter which must not be operational during a flight.
- Please take care that the used batteries are recycled by taking them to appropriate collection point.
- When changing batteries, replace both of them at the same time using identical brand and type.
- Do not swallow batteries.
- Do not throw batteries into water or fire.
- Do not short-circuit batteries.
- Do not try to charge primary batteries.
- Do not open or disassemble batteries.
- Batteries should be stored in a dry place and at room temperature. Avoid large temperature changes and direct sunlight.

At higher temperature the electrical performance of the batteries may be reduced.

- Keep batteries away from children.

Care and maintenance

Handle your device with care. The following suggestions help you keep your device operational.

- Do not open the device other than as instructed in the user guide.
- Unauthorized modifications may damage the device and violate regulations governing radio devices.
- Do not drop, knock, or shake the device. Rough handling can break it.
- Only use a soft, clean, dry cloth to clean the surface of the device. Do not clean the device with solvents, toxic chemicals or strong detergents as they may damage your device and void the warranty.
- Do not paint the device. Paint can prevent proper operation.

Damage

If the device is damaged contact support@haltian.com. Only qualified personnel may repair this device.

Small children

Your device is not a toy. It may contain small parts. Keep them out of the reach of small children.



RECYCLING

Check the local regulations for proper disposal of electronic products. The Directive on Waste Electrical and Electronic Equipment (WEEE), which entered into force as European law on 13th February 2003, resulted in a major change in the treatment of electrical equipment at end-of-life. The purpose of this Directive is, as a first priority, the prevention of WEEE, and in addition, to promote the reuse, recycling and other forms of recovery of such wastes so as to reduce disposal.

The crossed-out wheelie-bin symbol on your product, battery, literature, or packaging reminds you that all electrical and electronic products and batteries must be taken to separate collection at the end of their working life. Do not dispose of these products as unsorted municipal waste: take them for recycling. For info on your nearest recycling point, check with your local waste authority.



Innovation, Science and
Economic Development Canada

Innovation, Sciences et
Développement économique Canada



UK
CA



Get to know all our Haltian devices



Thingsee
PRESENCE



Thingsee
ENVIRONMENT



Thingsee ENVIRONMENT
RUGGED



Thingsee LEAKAGE
RUGGED



Thingsee
AIR



Thingsee
BEAM



Thingsee GATEWAY
GLOBAL



Haltian
RADAR

For all devices and more information, visit our website
www.haltian.com or contact sales@haltian.com

